* * * * * * STN Columbus

FILE 'HOME' ENTERED AT 21:48:53 ON 19 SEP 2004

=> b ca

COST IN U.S. DOLLARS

SINCE FILE

ENTRY

FULL ESTIMATED COST

SESSION 0.21 0.21

TOTAL

FILE 'CA' ENTERED AT 21:49:02 ON 19 SEP 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Sep 2004 VOL 141 ISS 13 FILE LAST UPDATED: 16 Sep 2004 (20040916/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s permittivity

14022 PERMITTIVITY

=> s molecular(w)event?

1006340 MOLECULAR

232777 EVENT?

L2379 MOLECULAR (W) EVENT?

=> s 11 and 12

1 L1 AND L2 L3

=> d all

ANSWER 1 OF 1 CA COPYRIGHT 2004 ACS on STN L3

ΑN 137:165784 CA

EDEntered STN: 12 Sep 2002

A system and method for characterizing the TI***permittivity*** ***molecular*** ***events***

INHefti, John; Peng, Peng; Balaban, David; Heanue, Joseph

PASignature Bioscience, Inc., USA

SO PCT Int. Appl., 59 pp.

CODEN: PIXXD2

DTPatent

English LA

IC ICM G01N033-543

CC 9-1 (Biochemical Methods)

FAN.CNT 1

11111.0111 1											
PATENT NO.		KIND	DATE	APPLICATION NO.	DATE						
			- 								
ΡI	WO 2002065127	A2	20020822	WO 2002-US4048	20020211						
	WO 2002065127	A3	20030227								

```
WO 2002065127
                          C2
                                20030410
             AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
             PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ,
         UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
             CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
             BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
                                20021114
     US 2002168659
                          A1
                                         US 2002-73827
                                                                    20020211
                         Ρ
                                20010212
PRAI US 2001-268401P
                         Р
     US 2001-275022P
                               20010312
CLASS
 PATENT NO.
                 CLASS PATENT FAMILY CLASSIFICATION CODES
                _____
 _____
WO 2002065127 ICM
                        G01N033-543
    A system and method for comparing the permittivities of test and ref.
     samples to detect and identify mol. events is presented. A resonant
     detector configured to output measurement parameters when the detector is
     electromagnetically coupled to a supplied sample is provided. One or more
       ***permittivity*** coeffs. is defined for the detector. A first output
     parameter is obtained from the detector when the detector is
     electromagnetically coupled to a ref. sample. A second output parameter
     is obtained from the detector when the detector is electromagnetically
     coupled to the test sample. The difference between the first and second
     output parameters is applied to the one or more ***permittivity***
     coeffs. to compute the relative difference in ***permittivity***
     between the test sample and ref. sample. The methodol. and app. are
     primarily of interest to detect and predict mol. events of biol. and
     pharmaceutical importance that occur in physiol. situations.
ST
              ***permittivity*** mol event; biol pharmaceutical mol events
     system
     physiol
IT
     Analysis
        (biochem.; system and method for characterizing ***permittivity***
        of mol. events)
IT
     Algorithm
     Analysis
     Apparatus
     Biochemical molecules
     Dielectric constant
     Molecules
     Optical sensors
     Samples
        (system and method for characterizing ***permittivity*** of mol.
        events)
=> d his
     (FILE 'HOME' ENTERED AT 21:48:53 ON 19 SEP 2004)
     FILE 'CA' ENTERED AT 21:49:02 ON 19 SEP 2004
L1
          14022 S PERMITTIVITY
            379 S MOLECULAR (W) EVENT?
L2
L3
              1 S L1 AND L2
L4
              0 S L1 AND CALIBRATION (W) SOLUTION?
            522 S L1 AND ELECTROMAGNETIC?
L5
              0 S L5 AND PERMITTIVITY(W)COEFFICIENT?
L6
L7
              0 S L1 AND PERMITTIVITY(W) COEFFICIENT?
L8
              1 S L1 AND RESISTANCE (W) PARAMETER?
```

0 S L1 AND REACTANCE (W) PARAMETER?

L9

0 20 S L1 AND S(W) PARAMETER? 1 0 S L1 AND BILINEAR(W) CALIBRATED(W) COEFFICIENT?				
=> logoff y COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION		
FULL ESTIMATED COST	76.00	76.21		
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION		
CA SUBSCRIBER PRICE	-14.52	-14.52		

STN INTERNATIONAL LOGOFF AT 21:55:11 ON 19 SEP 2004

L10

L	Hits	Search Text	DB	Time stamp
Number				
1	6694	permittivity	USPAT	2004/09/19
		-		20:13
2	27	permittivity and permittivity adj2	USPAT	2004/09/19
		coefficient\$		20:14
3	6694	permittivity	USPAT;	2004/09/19
		1	US-PGPUB;	20:14
			EPO; JPO;	
			DERWENT	
4	27	(permittivity and permittivity adj2	USPAT;	2004/09/19
		coefficient\$)	US-PGPUB;	20:16
		,,	EPO; JPO;	
			DERWENT	
5	12	permittivity and molecular adj2 event	USPAT;	2004/09/19
			US-PGPUB;	20:17
			EPO; JPO;	
			DERWENT	
6	217	permittivity and electromagnetically	USPAT;	2004/09/19
			US-PGPUB;	20:18
			EPO; JPO;	
			DERWENT	
7	1	(permittivity and electromagnetically)	USPAT;	2004/09/19
		and calibration adj2 solution\$	US-PGPUB;	20:20
		,	EPO; JPO;	
			DERWENT	